

Author Index

- ABE, A. *see* UTSUNOMIYA, Y.
 ABE, S. *see* SHIUBO, N.
 ABKEN, H. *see* REINHOLD, U.
 ADU, D. *see* BROOKS, C.J.
 AGOSTONI, A. *see* CICARDI, M.
 AHLSTEDT, S. *see* DAHLMAN-HÖGLUND, A.
 AKIMOTO, Y. *see* ISHIYAMA, T.
 AL-MUGHHALES, J., BLYTH, T.H., HUNTER, J.A. & WILKINSON, P.C. The chemoattractant activity of rheumatoid synovial fluid for human lymphocytes is due to multiple cytokines, 230
 ALONSO, C. *see* SOTO, M.
 ALVAREZ, F. *see* PAREZ, N.
 AMRAOUL, Z. *see* MARCHANT, A.
 APOSTOLAKOS, P. *see* NEWKIRK, M.M.
 ARIZONO, N., NISHIDA, M., UCHIKAWA, R., YAMADA, M., MATSUDA, S., TEGOSHI, T., KITUMURA, Y. & SASABE, M. Lung granulomatous response induced by infection with the intestinal nematode *Nippostrongylus brasiliensis* is suppressed in mast cell-deficient *W^s/W^s* rats, 55
 AZUMA, M. *see* KANEKO, H.
 BANCHEREAU, J. *see* RISSOAN, M.C.
 BARCLAY, A. *see* POTTIER, Y.
 BARST, R.J. *see* MORSE, J.H.
 BASKIN, B., PETTERSSON, E., REKOLA, S., SMITH, C.I.E. & ISLAM, K.B. Studies of the molecular basis of IgA production, subclass regulation and class-switch recombination in IgA nephropathy patients, 509
 BAUGHMAN, S. *see* MACANOVIC, M.
 BELLIA, V. *see* VIGNOLA, A.M.
 BENBERNOU, N. *see* ESNAULT, S.
 BERETTA, A. *see* CICARDI, M.
 BERNSTEIN, C.N., SARGENT, M., GALLATIN, W.M. & WILKINS, J. β_2 -integrin/intercellular adhesion molecule (ICAM) expression in the normal human intestine, 160
 BLYTH, T.H. *see* AL-MUGHHALES, J.
 BOCIAN, R.C. *see* MOSS, R.B.
 BOIRE, G. *see* GRANGER, D.
 BOITELLE, A. *see* VANHÉE, D.
 BOLOGNA, C. *see* JORGENSEN, C.
 BONNEMAINS, B. *see* PERRAUT, R.
 BONSIGNORE, G. *see* VIGNOLA, A.M.
 BOUSQUET, J. *see* VIGNOLA, A.M.
 BOVAL-BOIZARD, B. *see* LIOTÉ, F.
 BOYER, V. *see* MOUHOU, A.
 BÖRNER, H., OSMAN, A.A., MEERGANS, TH., WEISKE, T. & MOTHES, TH. Isolation of antigens recognized by coeliac disease autoantibodies and their use in enzyme immunoassay of endomysium and reticulin antibody-positive human sera, 344
 BROCHIER, J. *see* JORGENSEN, C.
 BROOKS, C.J., KING, W.J., RADFORD, D.J., ADU, D., McGRATH, M. & SAVAGE, C.O.S. IL-1 β production by human polymorphonuclear leucocytes stimulated by anti-neutrophil cytoplasmic autoantibodies: relevance to systemic vasculitis, 273
 BROSTRÖM, C., SÖNNERBORG, A., KIM, S. & SÄLLBERG, M. Site-directed serology of HIV-1 subtype B infection: relation between virus specific antibody levels and disease progression, 35
 BRUIJN, J.A. *see* SUTMULLER, M.
 BRUYNS, C. *see* MARCHANT, A.
 BUSTOS, C. *see* GONZÁLEZ-CUADRADO, S.
 BUURMAN, W.A. *see* MARCHANT, A.
 CANOVAS, F. *see* JORGENSEN, C.
 CARBON, G. *see* VOSWINKEL, J.
 CARTWRIGHT, R.J. *see* HILL, M.B.
 CARVALHO, D. *see* HEALY, C.M.
 CHABOT, B. *see* GRANGER, D.
 CHANEZ, P. *see* VIGNOLA, A.M.
 CHARLESWORTH, J.A. *see* PEAKE, P.W.
 CHEN, Q.Y. *see* ROWLEY, M.J.
 CHIANG, B.-L. *see* YE, Y.-L.
 CHIAPPARA, G. *see* VIGNOLA, A.M.
 CHIBA, S. *see* TSUTSUMI, H.
 CHOMARAT, P. *see* RISSOAN, M.C.
 CHOUTEAU, P. *see* PERRAUT, R.
 CHUANG, Y.-H. *see* YE, Y.-L.
 CICARDI, M., BERETTA, A., COLOMBO, M., GIOFFRÉ, D., CUGNO, M. & AGOSTONI, A. Relevance of lymphoproliferative disorders and of anti-Cl inhibitor autoantibodies in acquired angio-oedema, 475
 CLERICI, M. *see* MARZI, M.
 COGNÉ, M. *see* DECOURT, C.
 COLOMBO, M. *see* CICARDI, M.
 COOPER, P.J., GUDERIAN, R.H., PRAKASH, D., REMICK, D.G., ESPINEL, I., NUTMAN, T.B., TAYLOR, D.W. & GRIFFIN, G.E. RANTES in onchocerciasis: changes with ivermectin treatment, 462
 COSMAN, D. *see* LEELAYUWAT, C.
 COURET, I. *see* JORGENSEN, C.
 COUTELIER, J.-P. *see* POTTIER, Y.
 CUGNO, M. *see* CICARDI, M.
 D'AMICO, R. *see* DEREVIANKO, A.
 DAFFALLA, A.A. *see* SATTI, M.Z.
 DAHLGREN, C. *see* EBENFELT, A.
 DAHLGREN, U. *see* DAHLMAN-HÖGLUND, A.
 DAHLMAN-HÖGLUND, A., AHLSTEDT, S., HANSON, L.Å., DAHLGREN, U. & TELEMO, E. Different expression of IL-2 receptor α -chain on a lamina propria T cell population and goblet cells in rats orally tolerized or sensitized to ovalbumin (OA) after colonization with an OA-producing *Escherichia coli*, 534
 DALLEGRI, F. *see* OTTONELLO, L.
 DAPINO, P. *see* OTTONELLO, L.
 DAVID, M. *see* GILHAR, A.
 DAVIS, L.S. *see* SCHULZE-KOOPS, H.
 DAWKINS, R. *see* LEELAYUWAT, C.
 DECOURT, C., COGNÉ, M. & ROCCA, A. Structural peculiarities of a truncated $V_{\kappa III}$ immunoglobulin light chain in myeloma with light chain deposition disease, 357
 DEGLI-ESPOSTI, M.A. *see* LEELAYUWAT, C.
 DELIBRIAS, C.C. *see* MOUHOU, A.
 DEREVIANKO, A., D'AMICO, R. & SIMMS, H. Polymorphonuclear leucocyte (PMN)-derived inflammatory cytokines—regulation by oxygen tension and extracellular matrix, 560
 DIJKHUIZEN, S. *see* HOMMES, D.W.
 DONG, Y.-J. *see* MOSS, R.B.
 DUBOST, J.-J., PERRIER, S., AFANE, M., VIALARD, J.-L., ROUX-LOMBARD, P., BAUDET-POMMEL, M., BEGUE, C., KEMENY, J.-L. & SAUVEZIE, B.: IL-1 receptor antagonist in saliva; characterization in normal saliva and reduced concentration in Sjögren's syndrome (SS), 237
 DURAND, I. *see* RISSOAN, M.C.
 EBENFELT, A., LUNDQVIST, H., DAHLGREN, C. & LUNDBERG, C. Neutrophils in mucosal secretion are functionally active, 404
 EGIDO, J. *see* GONZÁLEZ-CUADRADO, S.
 EIBL, M.M. *see* OXELIUS, V.-A.
 EKLUND, A. *see* SKÖLD, C.M.
 EKSTJUN, G.L. *see* SUTMULLER, M.
 ESNAULT, S., BENBERNOU, N., LAUVAUD, F. & GUENOUNOU, M. Spontaneous CD30 mRNA expression in peripheral blood mononuclear cells from atopic patients with high IgE serum levels, 67
 ESPINEL, I. *see* COOPER, P.J.
 FATENEJAD, S. & CRAFT, J. Intrastuctural help in diversification of humoral autoimmune responses, 1

- FERNÁNDEZ, E. *see* NIETO, M.
 FERRER, J. *see* TORCAL, J.
 FIER, W. *see* MARCHANT, A.
 FISCHER, E. *see* MOUHOUB, A.
 FLASTER, E. *see* MORSE, J.H.
 FOTINO, M. *see* MORSE, J.H.
 FOURNIER, M.-J. *see* NEWKIRK, M.M.
 FRIEDRICH, C. *see* GERWIN, N.
 FRITZLER, M.J. *see* MORSE, J.H.
 FROSTEGÅRD, J. *see* HUANG, Y.H.
 FUKUCHI, K. *see* ISHIYAMA, T.
- GALIBERT, L. *see* RISSOAN, M.C.
 GALLATIN, W.M. *see* BERNSTEIN, C.N.
 GARDNER, P. *see* MOSS, R.B.
 GAUSE, A. *see* VOSWINKEL, J.
 GEMMELL, E. *see* YAMAZAKI, K.
 GENDRON, M. *see* GRANGER, D.
 GEORGE, A.J.T. *see* LEVY, J.B.
 GERWIN, N., FRIEDRICH, C., PEREZ-ATAYDE, A., ROSEN, F.S. & GUTIERREZ-RAMOS, J.C. Multiple antigens are altered on T and B lymphocytes from peripheral blood and spleen of patients with Wiskott-Aldrich syndrome, 208
 GHALIB, H.W. *see* SATTI, M.Z.
 GILHAR, A. DAVID, M., KALISH, R.S. & WEISINGER, G. *In vivo* effects of cytokines on psoriatic skin grafted on nude mice: involvement of the tumour necrosis factor (TNF) receptor, 134
 GIOFFRÉ, D. *see* CICARDI, M.
 GOLDMAN, M. *see* MARCHANT, A.
 GOMEZ, L.C. *see* SOTO, M.
 GON, Y., HASHIMOTO, S., HAYASHI, S., KOURA, T., MATSUMOTO, K. & HORIE, T. Lower serum concentrations of cytokines in elderly patients with pneumonia and the impaired production of cytokines by peripheral blood monocytes in the elderly, 120
 GONZÁLEZ-AMARO, R. *see* NIETO, M.
 GONZÁLEZ-CUADRADO, S., BUSTOS, C., RUIZ-ORTEGA, M., ORTIZ, A., GUIJARRO, C., PLAZA, J.J. & EGIDO, J. Expression of leucocyte chemoattractants by interstitial renal fibroblasts: up-regulation by drugs associated with interstitial fibrosis, 518
 GOSSET, P. *see* VANHÉE, D.
 GRANGER, D., GENDRON, M., TREMBLAY, A., CHABOT, B., MÉNARD, H.A. & BOIRE, G. RNA-labelled Ro and La ribonucleoprotein complexes reassembled *in vitro*; characterization by gel shift analysis, 498
 GREAVES, M. *see* HILL, M.B.
 GREENSTEIN, J.D. *see* PEAKE, P.W.
 GREENWOOD, J.D. *see* ISAACS, J.D.
 GRIFFIN, G.E. *see* COOPER, P.J.
 GUDERIAN, R.H. *see* COOPER, P.J.
 GUENOUNOU, M. *see* ESNAULT, S.
 GUEYDAN, C. *see* MARCHANT, A.
 GUIJARRO, C. *see* GONZÁLEZ-CUADRADO, S.
 GUTIERREZ-RAMOS, J.C. *see* GERWIN, N.
 GUZMAN, F. *see* SOTO, M.
 GÓMEZ, M. *see* NIETO, M.
- HALE, G. *see* ISAACS, J.D.
 HALLDÉN, G. *see* SKÖLD, C.M.
 HALLGREN, M. *see* SKÖLD, C.M.
 HAMANO, S. *see* HARADA, M.
 HAMMARSTRÖM, M.-L. *see* OLOFSSON, K.
 HANSON, L.Ä. *see* DAHLMAN-HÖGLUND, A.
 HARA, K. *see* YAMAZAKI, K.
 HARADA, M., SUMICHIKA, H., HAMANO, S., ITO, O., TAMADA, K., TAKENOYAMA, M., KIMURA, G. & NOMOTO, K. IL-3 derived from CD4⁺ T cells is essential for the *in vitro* expansion of mast cells from the normal adult mouse spleen, 149
 HARRIS, D.P. *see* VORDERMEIER, H.M.
 HASHIMOTO, H. *see* KANEKO, H.
 HASHIMOTO, S. *see* GON, Y.
 HASHIMOTO, S. *see* YOSHIDA, S.
 HAYASHI, S. *see* GON, Y.
 HAZLEMAN, B.L. *see* ISAACS, J.D.
 HE, S. *see* WHALEY, K.
- HEALY, C.M., CARVALHO, D., PEARSON, J.D. & THORNHILL, M.H. Raised anti-endothelial cell autoantibodies (AECA), but not anti-neutrophil cytoplasmic autoantibodies (ANCA), in recurrent oral ulceration: modulation of AECA binding by tumour necrosis factor- α (TNF- α) and interferon- γ (IFN- γ), 523
 HELLSTRÖM, S. *see* OLOFSSON, K.
 HERZOG, D. *see* PAREZ, N.
 HILL, M.B., PHIPPS, J.L., CARTWRIGHT, R.J., MILFORD WARD, A., GREAVES, M. & HUGHES, P. Antibodies to membranes of endothelial cells and fibroblasts in scleroderma, 491
 HILL, T.J. *see* MANICKASINGHAM, S.P.
 HINODA, Y. *see* SHIUBO, N.
 HIRANO, K. *see* UTSUNOMIYA, Y.
 HOLLINGSWORTH, P. *see* LEELAYUWAT, C.
 HOMBERG, J.-C. *see* PAREZ, N.
 HOMMEL, G. *see* KAHALY, G.
 HOMMES, D.W., MEENAN, J., DIJKHUIZEN, S., TEN KATE, F.J.W., TYTGAT, G.N.J. & VAN DEVENTER, S.J.H. Efficacy of recombinant granulocyte colony-stimulating factor (rhG-CSF) in experimental colitis, 529
 HONMA, K. *see* SHIMOJO, N.
 HOPF, T. *see* VOSWINKEL, J.
 HORIE, T. *see* GON, Y.
 HORIE, T. *see* YOSHIDA, S.
 HOSHIOKA, A. *see* SHIMOJO, N.
 HSU, Y.-P. *see* MOSS, R.B.
 HUANG, Y.H., SCHÄFER-ELINDER, L., OWMAN, H., LORENTZEN, J.C., RÖNNELID, J. & FROSTEGÅRD, J. Induction of IL-4 by platelet-activating factor, 143
 HUGHES, P. *see* HILL, M.B.
 HUNTER, J.A. *see* AL-MUGHHALES, J.
 HUSSAIN, R. *see* KIFAYET, A.
- IKAI, M., ITOH, M., JOH, T., YOKOYAMA, Y., OKADA, N. & OKADA, H. Complement plays an essential role in shock following intestinal ischaemia in rats, 156
 IMAI, K. *see* SHIUBO, N.
 IMASAWA, T. *see* UTSUNOMIYA, Y.
 ISAACS, J.D., WING, M.G., GREENWOOD, J.D., HAZLEMAN, B.L., HALE, G. & WALDMANN, H. A therapeutic human IgG4 monoclonal antibody that depletes target cells in humans, 427
 ISHIYAMA, T., KOIKE, M., AKIMOTO, Y., FUKUCHI, K., WATANABE, K., YOSHIDA, M., WAKABAYASHI, Y. & TSURUOKA, N. Heat shock-enhanced T cell apoptosis with heat shock protein 70 on T cell surface in multicentric Castleman's disease, 351
 ISLAM, K.B. *see* BASKIN, B.
 ITO, M.R. *see* TANIGUCHI, Y.
 ITO, M., WATANABE, M., KAMIYA, H. & SAKURAI, M. Inhibition of natural killer (NK) cell activity against varicella-zoster virus (VZV)-infected fibroblasts and lymphocyte activation in response to VZV antigen by nitric oxide-releasing agents, 40
 ITO, O. *see* HARADA, M.
 ITOH, M. *see* IKAI, M.
 IVANYI, J. *see* VORDERMEIER, H.M.
- JACQZ-AIGRAIN, E. *see* PAREZ, N.
 JOH, T. *see* IKAI, M.
 JORGENSEN, C., COURET, I., CANOVAS, F., BOLOGNA, C., BROCHIER, J., REME, T., LIPSKY, P. & SANY, J. Mononuclear cell retention in rheumatoid synovial tissue engrafted in severe combined immunodeficient (SCID) mice is up-regulated by tumour necrosis factor- α (TNF- α) and mediated through intercellular adhesion molecule-1 (ICAM-1), 20
- KAHALY, G., PITZ, S., MÜLLER-FORELL, W. & HOMMEL, G. Randomized trial of intravenous immunoglobulins *versus* prednisolone in Graves' ophthalmopathy, 197
 KALDEN, J.R. *see* TSUZAKA, K.
 KALISH, R.S. *see* GILHAR, A.
 KAMIYA, H. *see* ITO, M.
 KANDA, N., TSUCHIDA, T. & TAMAKI, K. Testosterone inhibits immunoglobulin production by human peripheral blood mononuclear cells, 410

- KANEKO, H., SAITO, K., HASHIMOTO, H., YAGITA, H., OKUMURA, K. & AZUMA, M. Preferential elimination of CD28⁺ T cells in systemic lupus erythematosus (SLE) and the relation with activation-induced apoptosis, 218
- KATSUKI, T. *see* SHIMOJO, N.
- KAUFMAN, J. *see* LEELAYUWAT, C.
- KAVANAUGH, A.F. *see* SCHULZE-KOOPS, H.
- KAWAKAMI, K., QIFENG, X., TOHYAMA, M., QURESHI, M.H. & SAITO, A. Contribution of tumour necrosis factor- α (TNF- α) in host defence mechanism against *Cryptococcus neoformans*, 468
- KAWAMURA, T. *see* UTSUNOMIYA, Y.
- KAZATCHKINE, M.D. *see* MOUHOUB, A.
- KEMNA, M. *see* MOSS, R.B.
- KIELY, P.D.W., O'BRIEN, D. & OLIVEIRA, D.B.G. Anti-CD8 treatment reduces the severity of inflammatory arthritis, but not vasculitis, in mercuric chloride-induced autoimmunity, 280
- KIENY, M.P. *see* PERRAUT, R.
- KIFAYET, A., SHAHID, F., LUCAS, S. & HUSSAIN, R. Erythema nodosum leprosum is associated with up-regulation of polyclonal IgG1 antibody synthesis, 447
- KIM, S. *see* BROSTRÖM, C.
- KIMURA, G. *see* HARADA, M.
- KING, W.J. *see* BROOKS, C.J.
- KISHORE, U. *see* WANG, J.Y.
- KITUMURA, Y. *see* ARIZONO, N.
- KJELDSSEN, M. *see* YAMAZAKI, K.
- KNOWLES, W.J. *see* ROWLEY, M.J.
- KOBAYASHI, T. *see* YOSHIDA, S.
- KOHNO, Y. *see* SHIMOJO, N.
- KOIKE, M. *see* ISHIYAMA, T.
- KOIZUMI, A. *see* YOSHIDA, S.
- KOURA, T. *see* GON, Y.
- KUNTZ, D. *see* LIOTÉ, F.
- LACHMANN, P.J. *see* MACANOVIC, M.
- LACHMANN, P.J. The *in vivo* destruction of antigen—a tool for probing and modulating an autoimmune response, 187
- LARRAD, L. *see* TORCAL, J.
- LAVAUD, F. *see* ESNAULT, S.
- LE MOINE, O. *see* MARCHANT, A.
- LEELAYUWAT, C., HOLLINGSWORTH, P., PUMMER, S., LERTMEMONGKOLCHAI, G., THOM, G., MULLBERG, J., WITT, C., KAUFMAN, J., DEGLI-ESPOSTI, M.A., COSMAN, D. & DAWKINS, R. Antibody reactivity profiles following immunization with diverse peptides of the PERB11 (MIC) family, 568
- LERTMEMONGKOLCHAI, G. *see* LEELAYUWAT, C.
- LEVY, J.B., TURNER, A.N., GEORGE, A.J.T. & PUSEY, C.D. Epitope analysis of the Goodpasture antigen using a resonant mirror biosensor, 79
- LIM, B.L. *see* WANG, J.Y.
- LIND, P. *see* SATTI, M.Z.
- LIOTÉ, F., BOVAL-BOIZARD, B., WEILL, D., KUNTZ, D. & WAUTIER, J.-L. Blood monocyte activation in rheumatoid arthritis: increased monocyte adhesiveness, integrin expression, and cytokine release, 13
- LIPSKY, P. *see* JORGENSEN, C.
- LIU, L. *see* REINHOLD, U.
- LORENTZEN, J.C. *see* HUANG, Y.H.
- LOZANO, R. *see* TORCAL, J.
- LUCAS, S. *see* KIFAYET, A.
- LUNDAHL, J. *see* SKÖLD, C.M.
- LUNDBERG, C. *see* EBENFELT, A.
- LUNDQVIST, H. *see* EBENFELT, A.
- MACANOVIC, M., SINICROPI, D., SHAK, S., BAUGHMAN, S., THIRU, S. & LACHMANN, P.J. The treatment of systemic lupus erythematosus (SLE) in NZB/W F₁ hybrid mice: studies with recombinant murine DNase and with dexamethasone, 243
- MACKAY, I.R. *see* ROWLEY, M.J.
- MANICKASINGHAM, S.P., HILL, T.J. & WILLIAMS, N.A. Modulation of Langerhans cell phenotype, migration and maturation by agents known to cause herpes simplex virus reactivation in a mouse model, 304
- MARAZUELA, M. *see* NIETO, M.
- MARCHANT, A., AMRAOUI, Z., GUEYDAN, C., BRUYNS, C., LE MOINE, O., VANDENABEELE, P., FIER, W., BUURMAN, W.A. & GOLDMAN, M. Methylprednisolone differentially regulates IL-10 and tumour necrosis factor (TNF) production during murine endotoxaemia, 91
- MARUYAMA, N. *see* UTSUNOMIYA, Y.
- MARZI, M., VIGANO, A., TRABATTONI, D., VILLA, M.L., SALVAGGIO, A., CLERICI, E. & CLERICI, M. Characterization of type 1 and type 2 cytokine production profile in physiologic and pathologic human pregnancy, 127
- MASSON, P.L. *see* POTTIER, Y.
- MATSUDA, K. *see* TSUTSUMI, H.
- MATSUDA, S. *see* ARIZONO, N.
- MATSUMOTO, K. *see* GON, Y.
- MCGRATH, M. *see* BROOKS, C.J.
- MEENAN, J. *see* HOMMES, D.W.
- MEERGANS, TH. *see* BÖRNER, H.
- MÉNARD, H.A. *see* GRANGER, D.
- MERENDINO, A. *see* VIGNOLA, A.M.
- MILFORD WARD, A. *see* HILL, M.B.
- MIOSSEC, P. *see* RISSOAN, M.C.
- MITARAI, T. *see* UTSUNOMIYA, Y.
- MOLET, S. *see* VANHÉE, D.
- MOOG, C. *see* PERRAUT, R.
- MORI, S. *see* TANIGUCHI, Y.
- MORIOKA, T. *see* NARISAWA-SAITO, M.
- MORONE, P. *see* OTTONELLO, L.
- MORSE, J.H., BARST, R.J., FOTINO, M., ZHANG, Y., FLASTER, E. & FRITZLER, M.J. Primary pulmonary hypertension: immunogenetic response to high-mobility group (HMG) proteins and histone, 389
- MOSS, R.B., BOCIAN, R.C., HSU, Y.-P., DONG, Y.-J., KEMNA, M., WEI, T. & GARDNER, P. Reduced IL-10 secretion by CD4⁺ T lymphocytes expressing mutant cystic fibrosis transmembrane conductance regulator (CFTR), 374
- MOTHE, TH. *see* BÖRNER, H.
- MOUHOUB, A., DELIBRIAS, C.C., FISCHER, E., BOYER, V. & KAZATCHKINE, M.D. Ligation of CR1 (C3b receptor, CD35) on CD4⁺ T lymphocytes enhances viral replication in HIV-infected cells, 297
- MULLBERG, J. *see* LEELAYUWAT, C.
- MÜLLER-FORELL, W. *see* KAHALY, G.
- NAKAJIMA, T. *see* YAMAZAKI, K.
- NAKAYAMA, T. *see* YOSHIDA, S.
- NARISAWA-SAITO, M., YAMANASHI, Y., MORIOKA, T., OITE, T. & SHIMIZU, F. Thy-1 molecule associates with protein tyrosine kinase(s) in rat mesangial cells, 86
- NAVARRO-ZORRAQUINO, M. *see* TORCAL, J.
- NEWKIRK, M.M., NOVICK, J., STEVENSON, M.M., FOURNIER, M.-J. & APOSTOLAKOS, P. : Differential clearance of glycoforms of IgG in normal and autoimmune-prone mice, 259
- NIETO, M., GÓMEZ, M., SÁNCHEZ-MATEOS, P., FERNÁNDEZ, E., MARAZUELA, M., SACEDÓN, R., VARAS, A., GONZÁLEZ-AMARO, R., ZAPATA, A.G., TORIBIO, M.L. & SÁNCHEZ-MADRID, F. Expression of functionally active $\alpha_4\beta_1$ integrin by thymic epithelial cells, 170
- NIIMI, H. *see* SHIMOJO, N.
- NISHIDA, M. *see* ARIZONO, N.
- NOMOTO, K. *see* HARADA, M.
- NOSE, M. *see* TANIGUCHI, Y.
- NOVICK, J. *see* NEWKIRK, M.M.
- NUTMAN, T.B. *see* COOPER, P.J.
- O'BRIEN, D. *see* KIELY, P.D.W.
- OITE, T. *see* NARISAWA-SAITO, M.
- OKADA, H. *see* IKAI, M.
- OKADA, N. *see* IKAI, M.
- OKUMURA, K. *see* KANEKO, H.
- OLIVEIRA, D.B.G. *see* KIELY, P.D.W.
- OLOFSSON, K., HELLSTRÖM, S. & HAMMARSTRÖM, M.-L. Abundance of intraepithelial $\gamma\delta$ T cells in hypertrophic obstructive but not in chronically infected adenoids, 396
- OLSEN, K.E., SANDGREN, O., SLETEN, K. & WESTERMARK, P. Primary localized amyloidosis of the eyelid: two cases of immunoglobulin light chain-derived proteins, subtype λ V respectively λ VI, 362
- OMURA, K. *see* UTSUNOMIYA, Y.
- ORTIZ, A. *see* GONZÁLEZ-CUADRADO, S.

- OSAKI, T. *see* YONEDA, K.
 OSMAN, A.A. *see* BÖRNER, H.
 OTTONELLO, L., MORONE, P., DAPINO, P. & DALLEGRI, F. Inhibitory effect of salmeterol on the respiratory burst of adherent human neutrophils, 97
 OUELLETTE, S. *see* SUTMULLER, M.
 OWMAN, H. *see* HUANG, Y.H.
 OXELIUS, V.-A. & EIBL, M.M. Different Gm allotype amounts in human intravenous immunoglobulin (IVIg) preparations; survival of foreign Gm allotypes in immunodeficient patients, 203
- PAREZ, N., HERZOG, D., JACQZ-AIGRAIN, E., HOMBERG, J.-C. & ALVAREZ, F. Study of the B cell response to cytochrome P450IID6 in sera from chronic hepatitis C patients, 336
 PASTOR, C. *see* TORCAL, J.
 PATARROYO, M.E. *see* SOTO, M.
 PEAKE, P.W., GREENSTEIN, J.D., PUSSELL, B.A. & CHARLESWORTH, J.A. The behaviour of human vitronectin *in vivo*: effects of complement activation, conformation and phosphorylation, 416
 PEARSON, J.D. *see* HEALY, C.M.
 PEREZ-ATAYDE, A. *see* GERWIN, N.
 PERRAUT, R., CHOUTEAU, P., MOOG, C., BONNEMAINS, B. & KIENY, M.P. Immunogenicity of HIV-1_{LAI} gp160 and env peptides in squirrel monkey *Saimiri sciureus* using alumine and experimental adjuvants, 434
 PETTERSSON, E. *see* BASKIN, B.
 PFREUNDSCHEH, M. *see* VOSWINKEL, J.
 PHIPPS, J.L. *see* HILL, M.B.
 PIERARD, I. *see* POTTIER, Y.
 PITZ, S. *see* KAHALY, G.
 PLAZA, J.J. *see* GONZÁLEZ-CUADRADO, S.
 POTTIER, Y., PIERARD, I., BARCLAY, A., MASSON, P.L. & COUTELIER, J.-P. The mode of action of treatment by IgG of haemolytic anaemia induced by an anti-erythrocyte monoclonal antibody, 103
 PRAKASH, D. *see* COOPER, P.J.
 PUMMER, S. *see* LEELAYUWAT, C.
 PUSEY, C.D. *see* LEVY, J.B.
 PUSSELL, B.A. *see* PEAKE, P.W.
- QIFENG, X. *see* KAWAKAMI, K.
 QUIJADA, L. *see* SOTO, M.
 QURESHI, M.H. *see* KAWAKAMI, K.
- RADFORD, D.J. *see* BROOKS, C.J.
 REICHLIN, M. *see* TSUZAKA, K.
 REID, K.B.M. *see* WANG, J.Y.
 REINHOLD, U., LIU, L., SESTERHENN, J., SCHNAUTZ, S. & ABKEN, H. The CD7⁺ T cell subset represents the majority of IL-5-secreting cells within CD4⁺ CD45RA⁺ T cells, 555
 REKOLA, S. *see* BASKIN, B.
 REME, T. *see* JORGENSEN, C.
 REMICK, D.G. *see* COOPER, P.J.
 REQUENA, J.M. *see* SOTO, M.
 RISSOAN, M.C., VAN KOOTEN, C., CHOMARAT, P., GALIBERT, L., DURAND, I., THIVOLET-BEJUI, F., MIOSEC, P. & BANCHEREAU, J. The functional CD40 antigen of fibroblasts may contribute to the proliferation of rheumatoid synovium, 481
 ROCCA, A. *see* DECOURT, C.
 ROMAN, J. *see* TORCAL, J.
 ROSEN, F.S. *see* GERWIN, N.
 ROWLEY, M.J., CHEN, Q.Y., TEOH, K.L., ZIMMET, P.Z., TUOMI, T., KNOWLES, W.J. & MACKAY, I.R. Diabetic sera react with the glutamic acid decarboxylase molecule in a dimeric-oligomeric form, 323
 RUIZ-ORTEGA, M. *see* GONZÁLEZ-CUADRADO, S.
 RÖNNELID, J. *see* HUANG, Y.H.
- SACEDÓN, R. *see* NIETO, M.
 SAITO, A. *see* KAWAKAMI, K.
 SAITO, K. *see* KANEKO, H.
 SAITO, K. *see* SHIMOJO, N.
 SAKAI, O. *see* UTSUNOMIYA, Y.
 SAKURAI, M. *see* ITO, M.
 SALINAS, J.C. *see* TORCAL, J.
 SÄLLBERG, M. *see* BROSTRÖM, C.
- SALVAGGIO, A. *see* MARZI, M.
 SÁNCHEZ-MADRID, F. *see* NIETO, M.
 SÁNCHEZ-MATEOS, P. *see* NIETO, M.
 SANDGREN, O. *see* OLSEN, K.E.
 SANY, J. *see* JORGENSEN, C.
 SARGENT, M. *see* BERNSTEIN, C.N.
 SASABE, M. *see* ARIZONO, N.
 SATTI, M.Z., LIND, P., VENNERVALD, B.J., SULAIMAN, S.M., DAFFALLA, A.A. & GHALIB, H.W. Specific immunoglobulin measurements related to exposure and resistance to *Schistosoma mansoni* infection in Sudanese canal cleaners, 45
 SAVAGE, C.O.S. *see* BROOKS, C.J.
 SCHÄFER-ELINDER, L. *see* HUANG, Y.H.
 SCHNAUTZ, S. *see* REINHOLD, U.
 SCHULZE-KOOPS, H., LIPSKY, P.E., KAVANAUGH, A.F. & DAVIS, L.S. Persistent reduction in IL-6 mRNA in peripheral blood mononuclear cells of patients with rheumatoid arthritis after treatment with a monoclonal antibody to CD54 (ICAM-1), 190
 SESTERHENN, J. *see* REINHOLD, U.
 SEYMOUR, G.J. *see* YAMAZAKI, K.
 SHAHID, F. *see* KIFAYET, A.
 SHAK, S. *see* MACANOVIC, M.
 SHIGEHARA, K. *see* SHIUBO, N.
 SHIUBO, N., IMAI, K., SHIGEHARA, K., HINODA, Y. & ABE, S. Circulating soluble intercellular adhesion molecule-1 (sICAM-1) in patients with sarcoidosis, 549
 SHIMIZU, F. *see* NARISAWA-SAITO, M.
 SHIMOJO, N., KOHNO, Y., KATSUKI, T., HOSHIOKA, A., HONMA, K., SAITO, K. & NIIMI, H. Diminished interferon-gamma (IFN- γ) production by bacterial antigen-specific T cells in atopic patients, 62
 SIMMS, H. *see* DEREVIANKO, A.
 SINICROPI, D. *see* MACANOVIC, M.
 SKÖLD, C.M., LUNDAHL, J., HALLDÉN, G., HALLGREN, M. & EKLUND, A. Chronic smoke exposure alters the phenotype pattern and the metabolic response in human alveolar macrophages, 108
 SLETTEN, K. *see* OLSEN, K.E.
 SMITH, C.I.E. *see* BASKIN, B.
 SONE, S. *see* TSUTSUMI, H.
 SÖNNERBORG, A. *see* BROSTRÖM, C.
 SOTO, M., REQUENA, J.M., QUIJADA, L., GOMEZ, L.C., GUZMAN, F., PATARROYO, M.E. & ALONSO, C. Characterization of the antigenic determinants of the *Leishmania infantum* histone H3 recognized by antibodies elicited during canine visceral leishmaniasis, 454
 STEVENSON, M.M. *see* NEWKIRK, M.M.
 STRONG, P. *see* WANG, J.Y.
 SULAIMAN, S.M. *see* SATTI, M.Z.
 SUMICHIKA, H. *see* HARADA, M.
 SUTMULLER, M., EKSTUN, G.L., OUELLETTE, S., EDE HEER & BRUIJN, J.A. : Non-MHC genes determine the development of lupus nephritis in H-2 identical mouse strains, 265
- TAKENOKAWA, M. *see* HARADA, M.
 TAKEUCHI, R. *see* TSUTSUMI, H.
 TAMADA, K. *see* HARADA, M.
 TAMAKI, K. *see* KANDA, N.
 TANIGUCHI, Y., ITO, M.R., MORI, S., YONEHARA, S. & NOSE, M. Role of macrophages in the development of arteritis in MRL strains of mice with a deficit in Fas-mediated apoptosis, 26
 TAYLOR, D.W. *see* COOPER, P.J.
 TEGOSHI, T. *see* ARIZONO, N.
 TELEMÖ, E. *see* DAHLMAN-HÖGLUND, A.
 TEN KATE, F.J.W. *see* HOMMES, D.W.
 TEOH, K.L. *see* ROWLEY, M.J.
 THIRU, S. *see* MACANOVIC, M.
 THIVOLET-BEJUI, F. *see* RISSOAN, M.C.
 THOM, G. *see* LEELAYUWAT, C.
 THORNHILL, M.H. *see* HEALY, C.M.
 TILLIE-LEBLOND, I. *see* VANHÉE, D.
 TOHYAMA, M. *see* KAWAKAMI, K.
 TONNEL, A.-B. *see* VANHÉE, D.
 TORCAL, J., NAVARRO-ZORRAQUINO, M., LOZANO, R., LARRAD, L., SALINAS, J.C., FERRER, J., ROMAN, J. & PASTOR, C. Immune response and *in vivo* production of cytokines in patients with liver hydatidosis, 317

- TORIBIO, M.L. *see* NIETO, M.
 TRABATTONI, D. *see* MARZI, M.
 TREMBLAY, A. *see* GRANGER, D.
 TRÜMPER, L. *see* VOSWINKEL, J.
 TSUCHIDA, T. *see* KANDA, N.
 TSURUOKA, N. *see* ISHIYAMA, T.
 TSUTSUMI, H., MATSUDA, K., SONE, S., TAKEUCHI, R. & CHIBA, S. Respiratory syncytial virus-induced cytokine production by neonatal macrophages, 442
 TSUZAKA, K., WINKLER, T.H., KALDEN, J.R. & REICHLIN, M. Autoantibodies to double-stranded (ds)DNA immunoprecipitate 18S ribosomal RNA by virtue of their interaction with ribosomal protein S1 and suppress *in vitro* protein synthesis, 504
 TUOMI, T. *see* ROWLEY, M.J.
 TURNER, A.N. *see* LEVY, J.B.
 TYTGAT, G.N.J. *see* HOMMES, D.W.
- UCHIKAWA, R. *see* ARIZONO, N.
 UTSUNOMIYA, Y., OMURA, K., YOKOO, T., IMASAWA, T., KAWAMURA, T., ABE, A., HIRANO, K., MITARAI, T., MARUYAMA, N. & SAKAI, O. Macrophage-colony stimulating factor (M-CSF) enhances proteinuria and recruitment of macrophages into the glomerulus in experimental murine nephritis, 286
- VAN DEVENTER, S.J.H. *see* HOMMES, D.W.
 VAN KOOTEN, C. *see* RISSOAN, M.C.
 VANDENABEELE, P. *see* MARCHANT, A.
 VANHÉE, D., MOLET, S., GOSSET, P., TILLIE-LEBLOND, I., BOITELLE, A., WALLAERT, B. & TONNEL, A.-B. Expression of leucocyte-endothelial adhesion molecules is limited to intercellular adhesion molecule-1 (ICAM-1) in the lung of pneumoconiotic patients: role of tumour necrosis factor- α (TNF- α), 541
 VARAS, A. *see* NIETO, M.
 VENKATAPRASAD, N. *see* VORDERMEIER, H.M.
 VENNERVALD, B.J. *see* SATTI, M.Z.
 VIGANO, A. *see* MARZI, M.
 VIGNOLA, A.M., CHANEZ, P., CHIAPPARA, G., MERENDINO, A., ZINNANTI, E., BOUSQUET, J., BELLIA, V. & BONSIGNORE, G. Release of transforming growth factor- β (TGF- β) and fibronectin by alveolar macrophages in airway diseases, 114
 VILLA, M.L. *see* MARZI, M.
 VORDERMEIER, H.M., VENKATAPRASAD, N., HARRIS, D.P. & IVANYI, J. Increase of tuberculous infection in the organs of B cell-deficient mice, 312
 VOSWINKEL, J., TRÜMPER, L., CARBON, G., HOPF, T., PFREUNDSCHUH, M. & GAUSE, A. Evidence for a selected humoral immune response encoded by V_H4 family genes in the synovial membrane of a patient with rheumatoid arthritis (RA), 5
- WAKABAYASHI, Y. *see* ISHIYAMA, T.
 WALDMANN, H. *see* ISAACS, J.D.
 WALLAERT, B. *see* VANHÉE, D.
 WANG, J.Y., KISHORE, U., LIM, B.L., STRONG, P. & REID, K.B.M. Interaction of human lung surfactant proteins A and D with mite (*Dermatophagoides pteronyssinus*) allergens, 367
 WATANABE, K. *see* ISHIYAMA, T.
 WATANABE, M. *see* ITO, M.
 WAUTIER, J.-L. *see* LIOTÉ, F.
 WEI, T. *see* MOSS, R.B.
 WEILL, D. *see* LIOTÉ, F.
 WEISINGER, G. *see* GILHAR, A.
 WEISKE, T. *see* BÖRNER, H.
 WESTERMARK, P. *see* OLSEN, K.E.
 WHALEY, K., SIM, R.B. & HE, S. Autoimmune C1-inhibitor deficiency, 423
 WILKINS, J. *see* BERNSTEIN, C.N.
 WILKINSON, P.C. *see* AL-MUGHALES, J.
 WILLIAMS, N.A. *see* MANICKASINGHAM, S.P.
 WING, M.G. *see* ISAACS, J.D.
 WINKLER, T.H. *see* TSUZAKA, K.
 WITT, C. *see* LEELAYUWAT, C.
- YAGITA, H. *see* KANEKO, H.
 YAMADA, M. *see* ARIZONO, N.
 YAMAMOTO, T. *see* YONEDA, K.
 YAMANASHI, Y. *see* NARISAWA-SAITO, M.
 YAMAZAKI, K., NAKAJIMA, T., GEMMELL, E., KJELSDEN, M., SEYMOUR, G.J. & HARA, K. Biased expression of T cell receptor V β genes in periodontitis patients, 329
 YE, Y.-L., CHUANG, Y.-H. & CHIANG, B.-L. *In vitro* and *in vivo* functional analysis of CD5⁺ and CD5⁻ B cells of autoimmune NZB \times NZW F₁ mice, 253
 YOKOO, T. *see* UTSUNOMIYA, Y.
 YOKOYAMA, Y. *see* IKAI, M.
 YONEDA, K., OSAKI, T. & YAMAMOTO, T. IL-2 signalling in T and natural killer (NK) cells associated with their class I-non-restricted killing activity, 179
 YONEHARA, S. *see* TANIGUCHI, Y.
 YOSHIDA, M. *see* ISHIYAMA, T.
 YOSHIDA, S., HASHIMOTO, S., NAKAYAMA, T., KOBAYASHI, T., KOIZUMI, A. & HORIE, T. Elevation of serum soluble tumour necrosis factor (TNF) receptor and IL-1 receptor antagonist levels in bronchial asthma, 73
- ZAPATA, A.G. *see* NIETO, M.
 ZHANG, Y. *see* MORSE, J.H.
 ZIMMET, P.Z. *see* ROWLEY, M.J.
 ZINNANTI, E. *see* VIGNOLA, A.M.

Subject Index

- α_4 integrins, 170
- abortion, 127
- acquired angio-oedema, 475
- activation antigens, 208
- adenoid, 396
- adhesion molecule, 541
- adhesion molecules, 190, 304
- adjuvants, 434
- AECA, 523
- alveolar macrophage, 108, 541
- alveolar macrophages, 114
- amyloid, 362
- ANCA, 523
- anti-DNA antibodies, 243
- anti-GBM autoantibodies, 265
- anti-GBM disease, 79
- anti-HMG antibodies, 389
- anti-neutrophil cytoplasmic antibodies, 273
- anti-nucleosome, 389
- anti-P450IID6, 336
- anti-peptide antibodies, 568
- anti-Thy-1, 86
- antibodies, 143, 312, 389
- antibody-secreting cells, 447
- antigenic determinants, 454
- antigenicity, 323
- apoptosis, 218
- arthritis, 280
- asthma, 114
- atopy, 62, 67
- autoantibodies, 79, 336, 475, 504
- autoantibody, 323, 498
- autoantigens, 344
- autofluorescence, 108
- autoimmune haemolytic anaemia, 103
- autoimmunity, 336, 389, 504
- β_2 -agonists, 97
- β_2 -integrins, 160
- B cells, 312
- B lymphocytes, 5
- bacterial colonization, 396
- biosensor, 79
- bronchial asthma, 73
- Brown-Norway rat, 280
- C1 inhibitor, 475
- Camphar, 427
- canal cleaners, 45
- carboxypeptidase, 156
- CD28, 218
- CD30, 67
- CD4⁺ T cells, 149
- CD4⁺ T lymphocytes, 297
- CD40, 481
- CD5⁺ B cells, 253
- CD7, 555
- CD8, 280
- cell adhesion, 13
- cell surface molecules, 208
- cellular defence, 404
- chemokines, 462, 518
- chemotaxis, 230
- chronic bronchitis, 114
- chronic graft-versus-host disease, 265
- chronic hepatitis, 336
- class II MHC, 304
- class switching, 509
- cobra venom factor, 156
- coeliac disease, 344
- colitis, 529
- conjunctiva, 362
- CR1 (CD35) complement receptor, 297
- Cryptococcus neoformans*, 468
- cyclophilin, 518
- cystic fibrosis, 374
- cystic fibrosis transmembrane conductance regulator, 374
- cytokine, 120, 427, 442
- cytokines, 127, 190, 230, 462, 509
- dexamethasone, 243
- dimer, 323
- DNase, 243
- dog, 454
- eiocosanoids, 529
- endomysium antibodies, 344
- endothelial antibodies, 491
- eosinophil, 55
- epithelial cells, 170, 237
- epitope mapping, 79
- erythema nodosum leprosum, 447
- Fas, 26
- Fas ligand, 26
- Fc receptor, 103
- Fc receptors, 427
- fibroblast, 481
- fibroblasts, 518
- fibronectin, 114
- FITC, 304
- G-CSF, 529
- gel shift assay, 498
- gliadin antibodies, 344
- glomerular injury, 286
- glomerulonephritis, 86
- glucocorticoids, 91
- glutamic acid decarboxylase, 323
- Gm allotype half-lives, 203
- Gm allotype quantities, 203
- Goodpasture's disease, 79
- gp160, 434
- gp41 env peptide, 434

- granuloma, 26
Graves' ophthalmopathy, 197
- HCV infection, 336
healthy, 62
heat shock, 351
herpes simplex virus, 304
histone H3, 454
HIV-1, 35, 297
HLA class I like molecules, 568
HLA typing, 389
hsp70, 351
human, 410, 416
human intraepithelial $\gamma\delta$ T cells, 396
human thymus, 170
humoral response, 454
hyper-exposed, 45
- IDDM, 323
IgA nephropathy, 509
IgA production, 509
IgE, 67, 317, 367
IgG, 317
IgG glycosylation, 259
IL-1, 134, 273
IL-1 receptor antagonist, 73, 237
IL-10, 91, 253
IL-12, 468
IL-2, 179
IL-3, 149
IL-4, 143, 317
IL-6, 134, 143, 410
immune complexes, 243
immunity, 127, 374
immunoblotting, 491
immunochemistry, 504
immunodeficiency, 208
immunofluorescence, 568
immunoglobulin subclasses, 447
immunoglobulin therapy, 197
immunoglobulin, 103, 362, 410
immunohistochemistry, 160
immunomorphometry, 396
immunotherapy, 190
in vitro translation, 504
integrins, 13
intercellular adhesion molecule-1, 20, 286
intercellular adhesion molecules, 160
interferon-gamma, 62
interleukin, 127
intestine, 156, 160
ischaemia reperfusion, 156
ivermectin, 462
IVIG, 203
- La antigen, 498
lambda, 362
Langerhans cells, 304
leprosy, 447
light chain deposition disease, 357
lipopolysaccharide, 91
liver hydatidosis, 317
long-term asymptomatics, 35
lung granuloma, 55
lupus, 504
lupus nephritis, 265
lymphocytes, 374
lymphoproliferative disease, 475
- M-CSF, 26
Mac-2, 26
macrophage, 91, 103
macrophage-colony stimulating factor, 286
macrophages, 286, 442, 468
major histocompatibility locus, 389
Mansoni, 45
mast cell, 55
mast cell-deficient Ws/Ws rat, 55
mast cells, 149
matrix proteins, 560
mercuric chloride, 280
mesangial cell, 86
metabolic activity, 108
metabolism, 416
MHC genes, 568
mite allergen, 367
monkeys, 434
monoclonal antibody, 86, 427
monocyte, 13
monocytes, 120
mouse infection, 312
MRL/lpr, 259
mucosal immune response, 534
mucosal secretion, 404
multicentre Castleman's disease, 351
- naive phenotype, 208
natural killer cell, 40
natural killer cells, 179
nematode, 55
neonate, 442
nephritis, 286
neutrophil, 529
neutrophil function, 404
neutrophils, 97, 273
nitric oxide, 40
NOD, 259
non-MHC genes, 265
NZB/W F₁ mice, 243
- oligomer, 323
onchocerciasis, 462
oral tolerance, 534
oral ulceration, 523
otitis media, 396
oxygen tension, 560
- PERB11 (MIC), 568
periodontitis, 329
peripheral blood mononuclear cells, 67, 410
phagocytosis, 103
phosphodiesterase, 97

- phosphorylation, 416
platelet-activating factor, 143
PMN, 560
pneumoconiosis, 541
pneumonia, 120
PPD-specific T cell line, 62
pregnancy, 127
proliferation, 481
protein tyrosine kinase, 86
psoriasis, 134
- quenching, 108
- RANTES, 462
remodelling, 114
renal interstitium, 518
resistant, 45
respiratory burst, 97
respiratory syncytial virus, 442
reticulin antibodies, 344
rheumatoid arthritis, 5, 13, 20, 190, 230, 427
rheumatoid factors, 259
rheumatoid synovium, 481
ribonucleoproteins, 498
Ro antigen, 498
RT-PCR, 67, 329
- sarcoidosis, 549
SCID mice, 20
scleroderma, 491
severe combined immunodeficient mice, 253
shock, 156
sialylated proteins, 208
signal transduction, 179
site-directed serology, 35
Sjögren's syndrome, 237
- skin-infiltrating T cells, 555
smoking, 108
soluble intercellular adhesion molecule-1, 549
soluble TNF receptor, 73
somatic mutation, 5
surfactant protein A, 367
surfactant protein D, 367
susceptible, 45
synovial inflammation, 5
systemic lupus erythematosus, 218, 253, 243
- T cell activation, 218
T cell apoptosis, 351
T cells, 179, 374, 534
T helper cell-dependent antibody, 35
T lymphocyte, 143
T lymphocytes, 230, 555
testosterone, 410
TCR V β , 329
the elderly, 120
Thy-1 molecule, 86
TNF receptors, 134
transforming growth factor-beta, 114
tuberculosis, 312
tumour necrosis factor, 91, 134, 317
tumour necrosis factor-alpha, 20, 468, 541
type IV inhibitors, 97
tyrosine phosphorylation, 179
- V_H receptor, 5
V κ _{III} subgroup κ chain, 357
varicella zoster virus, 40
vasculitis, 280, 523
visceral leishmaniasis, 454
vitronectin, 416
VLA antigen, 13

